L₂-Gain Analysis of Coupled Linear 2D PDEs using Linear PI Inequalities

Declan S. Jagt, Matthew M. Peet

Abstract-In this paper, we present a new method for estimating the L_2 -gain of systems governed by 2nd order linear Partial Differential Equations (PDEs) in two spatial variables, using semidefinite programming. It has previously been shown that, for any such PDE, an equivalent Partial Integral Equation (PIE) can be derived. These PIEs are expressed in terms of Partial Integral (PI) operators mapping states in $L_2[\Omega]$, and are free of the boundary and continuity constraints appearing in PDEs. In this paper, we extend the 2D PIE representation to include input and output signals in \mathbb{R}^n , deriving a bijective map between solutions of the PDE and the PIE, along with the necessary formulae to convert between the two representations. Next, using the algebraic properties of PI operators, we prove that an upper bound on the L_2 -gain of PIEs can be verified by testing feasibility of a Linear PI Inequality (LPI), defined by a positivity constraint on a PI operator mapping $\mathbb{R}^n \times L_2[\Omega]$. Finally, we use positive matrices to parameterize a cone of positive PI operators on $\mathbb{R}^n \times L_2[\Omega]$, allowing feasibility of the L_2 -gain LPI to be tested using semidefinite programming. We implement this test in the MATLAB toolbox PIETOOLS, and demonstrate that this approach allows an upper bound on the L_2 -gain of PDEs to be estimated with little conservatism.

I. INTRODUCTION

Physical systems are often modeled using Partial Differential Equations (PDEs), relating e.g. the temporal evolution of state variables u to their spatial derivatives. For example, for given parameters D and λ , the 2D PDE defined as

$$\dot{\mathbf{u}}(t) = D \left[\partial_x^2 \mathbf{u}(t) + \partial_y^2 \mathbf{u}(t) \right] + \lambda \mathbf{u}(t) + w(t),$$

$$z(t) = \int_{\Omega} \mathbf{u}(t, x, y) dx dy,$$
 (1)

can be used to model the evolution of a population density $\mathbf{u}(t, x, y)$ in some domain $(x, y) \in \Omega$ [1], where w(t) is some external forcing, z(t) corresponds to the total population size, and $\mathbf{u}(t)$ is further constrained by boundary conditions (BCs)

$$\mathbf{u}(t,x,y) \equiv 0, \qquad \quad \forall (x,y) \in \partial \Omega. \tag{2}$$

In analysis and control of systems such as (1), a problem that frequently arises is that of bounding the effect of the disturbances w on the output z of the model. For example, we may wish to measure the effect of environmental conditions w(t) on the growth of the population size z(t). This effect can be quantified by the L_2 -gain, defined as the ratio $\gamma := \frac{\|z\|_{L_2}}{\|w\|_{L_2}}$ of the magnitude of the regulated output z over that of the disturbances w. The L_2 -gain provides a worst-case energy-amplification from input to output signals, and is often used as a metric for optimilaty in control and estimation, e.g. designing controllers to minimize the effect of disturbances on the system output.

Unfortunately, the spatial variation of the PDE state complicates efforts to compute the L_2 -gain of systems governed by PDEs. For comparison, consider estimating the L_2 -gain of a system governed by an Ordinary Differential Equation (ODE), written in state space representation as

$$\dot{u}(t) = Au(t) + Bw(t),$$
 $u(0) = 0,$
 $z(t) = Cu(t) + Dw(t).$ (3)

It can be shown that the L_2 -gain of a system of this form is bounded by a value $\gamma > 0$, if there exists some positive definite *storage function* V(u) > 0 which satisfies $\dot{V}(u(t)) \leq \gamma ||w(t)||^2 - \frac{1}{\gamma} ||z(t)||^2$ along solutions u(t) of the system. Parameterizing storage functions $V(u) = \langle u, Pu \rangle$ using positive matrices P > 0, this problem can be posed as the Linear Matrix Inequality (LMI) $\begin{bmatrix} -\gamma I & D & C \\ D^T & -\gamma I & B^T P \\ C^T & PB & A^T P + PA \end{bmatrix} \leq 0$, which can be efficiently solved using semidefinite programming (SDP) [2].

However, two major issues arise when deriving a similar test for computing the L_2 -gain of e.g. System (1). Firstly, the PDE state $\mathbf{u}(t)$ at each time $t \ge 0$ exists in the space $L_2[\Omega]$ of square integrable functions on $\Omega \subseteq \mathbb{R}^2$, raising the question of how to parameterize the set of positive storage functions on this infinite-dimensional space. Secondly, solutions $\mathbf{u}(t)$ to the system must satisfy not only the actual PDE (1), but also the BCs (2) – raising the challenge of enforcing the condition $\dot{V}(\mathbf{u}(t)) \le \gamma ||w(t)||^2 - \frac{1}{\gamma} ||z(t)||^2$ only along solutions $\mathbf{u}(t)$ satisfying both constraints.

To circumvent these issues associated with parameterizing storage functions for PDEs, a common approach is to approximate the PDE by a finite dimensional system – an ODE – using e.g. a basis function expansion [3]. However, properties such as L_2 -gain bounds estimated for the resulting ODE may not accurately reflect those of the original system – necessitating a posteriori error bounding methods to obtain provably valid gains. Moreover, a large number of ODE state variables may be required to obtain accurate results, growing exponentially with the number of spatial variables in the PDE. As a result, although ODE-based input-output analysis can be efficiently performed for certain 2D systems [4], [5], it is computationally intractable for more general 2D PDEs.

Other methods for testing input-output properties of 2D PDEs without relying on finite-dimensional approximations are generally limited in their application. For example, in [6], [7], LMIs for H_{∞} filtering and control of diffusive systems are derived, using a storage function of the form $V(\mathbf{u}) = \|\mathbf{u}\|_{L_2}^2 + \langle \nabla \mathbf{u}, P \nabla \mathbf{u} \rangle_{L_2}$, parameterized by a positive matrix P > 0. Similarly, in [8], polynomial constraints $N(x, y) \leq 0$

Acknowledgement: This work was supported by National Science Foundation grant CMMI-1935453.

are proposed for testing input-output properties of wallbounded shear flows, also parameterizing a storage function $V(\mathbf{u}) = \frac{1}{2} \langle \mathbf{u}, Q\mathbf{u} \rangle_{L_2}$ by a positive matrix Q > 0. However, the L_2 -gain test obtained in each study is valid only for a particular type of PDE with a particular set of BCs. Moreover, by parameterizing storage functions merely by matrices, the proposed methods introduce significant conservatism.

As an alternative to the aforementioned approaches, in this paper, we propose an SDP-based method for computing an upper bound on the L_2 -gain for a general class of 2nd order, linear, 2D PDEs. Specifically, we focus on PDEs of the form,

$$\begin{aligned} \dot{\mathbf{u}}(t) &= \sum_{i,j=0}^{2} A_{i,j} \partial_{x}^{i} \partial_{y}^{j} \mathbf{u}(t) + Bw(t), \quad \begin{array}{l} \mathbf{u}(0) &= \mathbf{0}, \\ \mathbf{u}(t) &\in X, \end{aligned} \\ z(t) &= \int_{\Omega} \left(\sum_{i,j=0}^{2} C_{i,j} \partial_{x}^{i} \partial_{y}^{j} \mathbf{u}(t) \right) dx dy + Dw(t), \end{aligned}$$
(4)

where $X \subseteq L_2[\Omega]$ is defined by a set of well-posed (nonperiodic) BCs. To derive an L_2 -gain test for systems of this form, we adopt the approach presented in [9], wherein an alternative representation of 1D PDEs as Partial Integral Equations (PIEs) is used. In particular, the authors prove that for any linear, 1D PDE, with sufficiently well-posed BCs $\mathbf{u}(t) \in X$, there exists an equivalent PIE representation,

$$\mathcal{T}\dot{\mathbf{v}}(t) = \mathcal{A}\mathbf{v}(t) + \mathcal{B}w(t), \qquad \mathbf{v}(0) = \mathbf{0},$$
$$z(t) = \mathcal{C}\mathbf{v}(t) + \mathcal{D}w(t), \qquad (5)$$

such that a function $\mathbf{v} \in L_2[\Omega]$ is a solution to the PIE if and only if $\mathcal{T}\mathbf{v} \in X$ is a solution to the PDE. In this representation, the operators $\{\mathcal{T}, \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}\}$ are all Partial Integral (PI) operators: a class of operators that form a *algebra, with analytic expressions for addition, multiplication, etc.. Quadratic storage functions $V(\mathbf{v}) = \langle \mathcal{T}\mathbf{v}, \mathcal{P}\mathcal{T}\mathbf{v} \rangle$ can then be parameterized by PI operators $\mathcal{P} > 0$, offering substantially more freedom than parameterizing by matrices. Moreover, the fundamental state $\mathbf{v} \in L_2[\Omega]$ in the PIE representation is free of the BCs imposed upon the the PDE state $\mathbf{u} \in X$, allowing negativity conditions on the derivative $V(\mathbf{v}(t))$ to be readily enforced. In this manner, the authors are able to derive a Linear PI Inequality (LPI), $\mathcal{Q}(\gamma) = \begin{bmatrix} -\gamma I & \mathcal{D} & \mathcal{C} \\ \mathcal{D}^T & -\gamma I & \mathcal{B}^T \mathcal{P} \\ \mathcal{C}^T & \mathcal{P} \mathcal{B} & \mathcal{A}^T \mathcal{P} \mathcal{T} + \mathcal{T}^T \mathcal{P} \mathcal{A} \end{bmatrix} \leq 0, \text{ for verifying an upper}$ bound γ on the L_2 -gain of the PIE. Parameterizing a cone of positive PI operators by positive matrices, the authors then pose this LPI as an SDP, allowing problems of L_2 -gain analysis of 1D PDEs to be efficiently solved [10]-[12].

However, despite a PIE framework having recently been introduced for 2D PDEs [13], deriving an SDP test for bounding the L_2 -gain of general systems of the form (4) still offers several challenges. In particular, although a map $\mathcal{T} : L_2[\Omega] \to X$ from the fundamental state space to the PDE domain has been derived for atonomous systems, this map may not be valid when disturbances w are included – presenting the problem of incorporating these disturbances in the PIE to PDE state conversion. In addition, a framework for converting 2D PDEs with inputs and outputs to PIEs is not yet available, still requiring formulae for computing the appropriate operators $\{\mathcal{B}, \mathcal{C}, \mathcal{D}\}$ to be derived. Finally, posing the LPI $\mathcal{Q}(\gamma) \leq 0$ for testing the L_2 -gain as an SDP requires parameterizing PI operators on a coupled space $\mathbb{R}^{n_1} \times \mathbb{R}^{n_2} \times L_2^{n_3}[\Omega]$, raising the challenge of performing such a parameterization for PI operators in 2D.

In the remainder of this paper, we carefully detail how we have overcome each of these challenges in deriving and implementing an SDP test for L_2 -gain analysis of 2D PDEs. In particular, in Section III, we first present an LPI for testing the L_2 -gain of 2D PIEs, proving that this gain is bounded by γ if there exists some positive definite 2D-PI operator \mathcal{P} : $L_2^{n_2} \rightarrow L_2^{n_2}$ such that an associated operator $\mathcal{Q}(\gamma, \mathcal{P})$: $\mathbb{R}^{n_1} \times L_2^{n_2} \rightarrow \mathbb{R}^{n_1} \times L_2^{n_2}$ is negative semidefinite. In Section IV, we then show that a PIE representation can be derived for any linear, 2nd order 2D PDE, defining operators $\mathcal{T}_0: L_2^{n_v} \rightarrow L_2^{n_v}$ and $\mathcal{T}_1: \mathbb{R}^{n_w} \rightarrow L_2^{n_v}$ such that for a disturbance $w \in \mathbb{R}^{n_w}$, a function $\mathbf{v} \in L_2^{n_v}$ solves the PIE if and only if $\mathcal{T}_0 \mathbf{v} + \mathcal{T}_1 w$ solves the PDE. Finally, in Section V, we parameterize a cone of positive PI operators $\Pi_+: \mathbb{R}^{n_1} \times L_2^{n_2} \rightarrow \mathbb{R}^{n_1} \times L_2^{n_2}$ by positive matrices, allowing feasibility of the L_2 -gain LPI to be posed as an SDP. This result is formulated in Section VI, and numerical tests are presented in Section VII.

II. PRELIMINARIES

A. Notation

For a given domain $\Omega \subset \mathbb{R}^d$, let $L_2^n[\Omega]$ denote the set of \mathbb{R}^n -valued square-integrable functions on Ω , where we omit the domain when clear from context. Define intervals $\Omega_a^b := [a, b]$ and $\Omega_c^d := [c, d]$ for spatial variables x, y, and let $\Omega_{ac}^{bd} := \Omega_a^b \times \Omega_c^d$ be the corresponding 2D domain. For $\mathbf{n} =$ $\{n_0, n_1\} \in \mathbb{N}^2$, define $\mathbb{Z}_1^n[\Omega_{ac}^{bd}] := \mathbb{R}^{n_0} \times L_2^{n_1}[\Omega_a^b] \times L_2^{n_1}[\Omega_c^d]$, and for $\mathbf{n} = \{n_0, n_1, n_2\} \in \mathbb{N}^3$, define $\mathbb{Z}_1^n[\Omega_{ac}^{bd}] := \mathbb{R}^{n_0} \times L_2^{n_1}[\Omega_a^b] \times L_2^{n_1}[\Omega_c^d] \times L_2^{n_2}[\Omega_{ac}^{bd}]$, where we also omit the domain when clear from context. For given $\mathbf{n} \in \mathbb{N}^3$ and any $\mathbf{u} = \begin{bmatrix} \mathbf{u}_0 \\ \mathbf{u}_x \\ \mathbf{u}_y \end{bmatrix} \in \mathbb{Z}^n$ and $\mathbf{v} = \begin{bmatrix} \mathbf{v}_x \\ \mathbf{v}_y \\ \mathbf{v}_z \end{bmatrix} \in \mathbb{Z}^n$, define the inner product $\langle \mathbf{u}, \mathbf{v} \rangle_{\mathbb{Z}^n} = \langle u_0, v_0 \rangle + \langle \mathbf{u}_x, \mathbf{v}_x \rangle_{L_2} + \langle \mathbf{u}_y, \mathbf{v}_y \rangle_{L_2} + \langle \mathbf{u}_2, \mathbf{v}_2 \rangle_{L_2}$,

where $\langle .,. \rangle$ denotes the Euclidean inner product, and $\langle .,. \rangle_{L_2}$ the standard inner product on L_2 . For any $\alpha \in \mathbb{N}^2$, we denote $\|\alpha\|_{\infty} := \max\{\alpha_1, \alpha_2\}$. Then, we define $W_k^n[\Omega_{ac}^{bd}]$ as a Sobolev subspace of $L_2^n[\Omega_{ac}^{bd}]$, where

$$W_k^n[\Omega_{ac}^{bd}] = \left\{ \mathbf{v} \mid \partial_x^{\alpha_1} \partial_y^{\alpha_2} \mathbf{v} \in L_2^n[\Omega_{ac}^{bd}], \ \forall \alpha_j \in \mathbb{N} : \|\alpha\|_{\infty} \le k \right\}.$$

As for L_2 , we occasionally omit the domain when clear from context. For $\mathbf{v} \in W_k^n[\Omega_{ac}^{bd}]$, we use the norm

$$\|\mathbf{v}\|_{W_k} = \sum_{\|\alpha\|_{\infty} \le k} \left\| \partial_x^{\alpha_1} \partial_y^{\alpha_2} \mathbf{v} \right\|_{L_2}$$

For $\mathbf{v} \in W_k^n[\Omega_{ac}^{bd}]$, we denote the Dirac delta operators

$$[\Delta_x^a \mathbf{v}](y) := \mathbf{v}(a, y)$$
 and $[\Delta_y^c \mathbf{v}](x) := \mathbf{v}(x, c).$

For a function $N \in L_2^{n \times m}[\Omega_{ac}^{bd}]$, and any $\mathbf{v} \in L_2^m[\Omega_{ac}^{bd}]$, we define the multiplier operator M and integral operator \int as

$$\begin{split} (\mathbf{M}[N]\mathbf{v})(x,y) &:= N(x,y)\mathbf{v}(x,y), \\ \left(\int\limits_{\Omega_{ac}^{bd}} [N]\mathbf{v} \right) \; := \int_{a}^{b} \int_{c}^{d} N(x,y)\mathbf{v}(x,y) dy dx. \end{split}$$

B. Algebras of PI Operators on 2D

Partial integral (PI) operators are bounded, linear operators, parameterized by square integrable functions. In 2D, we distinguish PI operators defined by parameters in the spaces \mathcal{N}_{011} , \mathcal{N}_{2D} and \mathcal{N}_{0112} , mapping different function spaces as presented in Table I. We outline the definition of the associated PI operators in this subsection, referring to [13] for more details.

Definition 1 (011-PI Operators, Π_{011}): For any $\mathbf{m} := \{m_0, m_1\} \in \mathbb{N}^2 \text{ and } \mathbf{n} := \{n_0, n_1\} \in \mathbb{N}^2, \text{ let}$

$$\mathcal{N}_{011}^{\mathbf{n}\times\mathbf{m}}[\Omega_{ac}^{bd}] := \begin{bmatrix} \mathbb{R}^{n_{0}\times m_{0}} & L_{2}^{n_{0}\times m_{0}} [\Omega_{a}^{b}] & L_{2}^{n_{0}\times m_{0}} [\Omega_{a}^{b}] & \mathcal{N}_{1D}^{n_{1}\times m_{1}}[\Omega_{a}^{b}] & L_{2}^{n_{1}\times m_{1}} [\Omega_{ac}^{bd}] \\ L_{2}^{n_{1}\times m_{0}}[\Omega_{c}^{d}] & L_{2}^{n_{1}\times m_{1}}[\Omega_{ac}^{bd}] & \mathcal{N}_{1D}^{n_{1}\times m_{1}}[\Omega_{c}^{d}] \end{bmatrix}$$

where

$$\mathcal{N}_{1D}^{n \times m}[\Omega_a^b] = L_2^{n \times m}[\Omega_a^b] \times L_2^{n \times m}[\Omega_a^b \times \Omega_a^b] \times L_2^{n \times m}[\Omega_a^b \times \Omega_a^b].$$

Then, for given parameters $B := \begin{bmatrix} B_{00} & B_{01} & B_{02} \\ B_{10} & B_{11} & B_{12} \\ B_{20} & B_{21} & B_{22} \end{bmatrix} \in \mathcal{N}_{011}^{n \times m}$, we define the associated 011-PI operator $\mathcal{P}[B] : \mathbb{Z}^m \to \mathbb{Z}^n$ as

$$\mathcal{P}[B] := \begin{bmatrix} B_{00} & \int_{\Omega_a^b} [B_{01}] & \int_{\Omega_a^c} [B_{02}] \\ \mathbf{M}[B_{10}] & \mathcal{P}[B_{11}] & \int_{\Omega_a^d} [B_{12}] \\ \mathbf{M}[B_{20}] & \int_{\Omega_a^b} [B_{21}] & \mathcal{P}[B_{22}] \end{bmatrix}.$$

where for $N := \{N_0, N_1, N_2\} \in \mathcal{N}_{1D}^{n \times m}[\Omega_a^b]$ and any $\mathbf{v} \in L_2^m[\Omega_a^b]$, we define

$$(\mathcal{P}[N]\mathbf{v})(x) = N_0(x)\mathbf{v}(x) + \int_a^b N_1(x,\theta)\mathbf{v}(\theta)d\theta + \int_x^b N_2(x,\theta)\mathbf{v}(\theta)d\theta.$$

We denote the set of 011-PI operators as $\Pi_{011}^{n\times m}$, so that $\mathcal{P} \in \Pi_{011}^{n\times m}$ if and only if $\mathcal{P} = \mathcal{P}[B]$ for some $B \in \mathcal{N}_{011}^{n\times m}$.

Definition 2 (2D-PI Operators, Π_{2D}): For any $m, n \in \mathbb{N}$, let

$$\begin{array}{l} \mathcal{N}_{2D}^{n \times m}[\Omega_{ac}^{bd}] &:= \\ \begin{bmatrix} L_2^{n \times m}[\Omega_{ac}^{bd}] & L_2^{n \times m}[\Omega_{ac}^{bd} \times \Omega_c^d] & L_2^{n \times m}[\Omega_{ac}^{bd} \times \Omega_c^d] \\ L_2^{n \times m}[\Omega_{ac}^{bd} \times \Omega_a^b] & L_2^{n \times m}[\Omega_{ac}^{bd} \times \Omega_{ac}^{bd}] & L_2^{n \times m}[\Omega_{ac}^{bd} \times \Omega_{ac}^{bd}] \\ L_2^{n \times m}[\Omega_{ac}^{bd} \times \Omega_a^b] & L_2^{n \times m}[\Omega_{ac}^{bd} \times \Omega_{ac}^{bd}] & L_2^{n \times m}[\Omega_{ac}^{bd} \times \Omega_{ac}^{bd}] \end{bmatrix} .$$

Then, for given parameters $N := \begin{bmatrix} N_{00} & N_{01} & N_{02} \\ N_{10} & N_{11} & N_{12} \\ N_{20} & N_{21} & N_{22} \end{bmatrix} \in \mathcal{N}_{2D}^{n \times m}$, we define the associated 2D-PI operator $\mathcal{P}[N] : L_2^m[\Omega_{ac}^{bd}] \to L_2^n[\Omega_{ac}^{bd}]$ such that, for any $\mathbf{v} \in L_2^m[\Omega_{ac}^{bd}]$,

$$\begin{split} (\mathcal{P}[N]\mathbf{v})(x,y) &:= N_{00}(x,y)\mathbf{v}(x,y) \\ + \int_{a}^{x} N_{10}(x,y,\theta)\mathbf{v}(\theta,y)d\theta + \int_{x}^{b} N_{20}(x,y,\theta)\mathbf{v}(\theta,y)d\theta \\ &+ \int_{c}^{y} N_{01}(x,y,\nu)\mathbf{v}(x,\nu)d\nu + \int_{y}^{d} N_{02}(x,y,\nu)\mathbf{v}(x,\nu)d\nu \\ &+ \int_{a}^{x} \int_{c}^{y} N_{11}(x,y,\theta,\nu)\mathbf{v}(\theta,\nu)d\nu d\theta \\ &+ \int_{x}^{b} \int_{c}^{y} N_{21}(x,y,\theta,\nu)\mathbf{v}(\theta,\nu)d\nu d\theta \\ &+ \int_{a}^{x} \int_{y}^{d} N_{12}(x,y,\theta,\nu)\mathbf{v}(\theta,\nu)d\nu d\theta \\ &+ \int_{x}^{b} \int_{y}^{d} N_{22}(x,y,\theta,\nu)\mathbf{v}(\theta,\nu)d\nu d\theta. \end{split}$$

We denote the set of 2D-PI operators as $\Pi_{2D}^{n \times m}$, so that $\mathcal{P} \in \Pi_{2D}^{n \times m}$ if and only if $\mathcal{P} = \mathcal{P}[N]$ for some $N \in \mathcal{N}_{2D}^{n \times m}$.

PI operator parameter space \mathcal{N}		Function spaces associated to PI operator $\mathcal{P}[N]$, for $N \in \mathcal{N}$		
$ \begin{array}{c} \mathcal{N}_{2D}^{n \times m} \\ \mathcal{N}_{011}^{n \times m} \\ \mathcal{N}_{2D \leftarrow 011}^{n \times m} \\ \mathcal{N}_{011 \leftarrow 2D}^{n \times m} \\ \mathcal{N}_{011 \leftarrow 2D}^{n \times m} \end{array} $	$n, m \in \mathbb{N}$ n, m $\in \mathbb{N}^2$ $n \in \mathbb{N}, m \in \mathbb{N}^2$ n $\in \mathbb{N}^2, m \in \mathbb{N}$ n, m $\in \mathbb{N}^3$	$ \begin{array}{ccc} L_2^m[\Omega_{ac}^{bd}] & \rightarrow \\ Z_1^m[\Omega_{ac}^{bd}] & \rightarrow \\ Z_1^m[\Omega_{ac}^{bd}] & \rightarrow \\ L_2^m[\Omega_{ac}^{bd}] & \rightarrow \\ Z_2^m[\Omega_{ac}^{bd}] & \rightarrow \end{array} $	$ \begin{array}{c} L_2^n[\Omega_{ac}^{bd}] \\ \mathbf{Z}_1^n[\Omega_{ac}^{bd}] \\ L_2^n[\Omega_{ac}^{bd}] \\ \mathbf{Z}_1^n[\Omega_{ac}^{bd}] \\ \mathbf{Z}_1^n[\Omega_{ac}^{bd}] \end{array} $	

TABLE I Function spaces associated to PI operator parameter spaces introduced in Subsection II-B

Definition 3 (0112-PI Operators, Π_{0112}): For any $\mathbf{m} := \{m_0, m_1, m_2\} \in \mathbb{N}^3 \text{ and } \mathbf{n} := \{n_0, n_1, n_2\} \in \mathbb{N}^3, \text{ let}$

$$\mathcal{N}_{0112}^{\mathsf{n}\times\mathsf{m}} := \begin{bmatrix} \mathcal{N}_{011}^{\mathsf{n}\times\mathsf{m}}[\Omega_{ac}^{bd}] & \mathcal{N}_{011\leftarrow 2D}^{\mathsf{n}\times\mathsf{m}_2}[\Omega_{ac}^{bd}] \\ \mathcal{N}_{2D\leftarrow 011}^{n_2\times\tilde{\mathfrak{m}}}[\Omega_{ac}^{bd}] & \mathcal{N}_{2D}^{n_2\times n_2}[\Omega_{ac}^{bd}] \end{bmatrix},$$

where $\tilde{\mathbf{n}} := \{n_0, n_1\}, \ \tilde{\mathbf{m}} := \{m_0, m_1\}, \ \text{and}$

$$\mathcal{N}_{2D \leftarrow 011}^{n_2 \times \tilde{\mathbf{m}}} \!\!:= \!\! \begin{bmatrix} L_2^{n_2 \times m_0} [\Omega_{ac}^{bd}] \\ \mathcal{N}_{1D}^{n_2 \times m_1} [\Omega_{ac}^{bd}] \\ \mathcal{N}_{1D}^{n_2 \times m_1} [\Omega_{ca}^{db}] \end{bmatrix}, \quad \mathcal{N}_{011 \leftarrow 2D}^{\tilde{\mathbf{n}} \times m_2} \!\!:= \!\! \begin{bmatrix} L_2^{n_0 \times m_2} [\Omega_{ac}^{bd}] \\ \mathcal{N}_{1D}^{n_1 \times m_2} [\Omega_{ac}^{bd}] \\ \mathcal{N}_{1D}^{n_1 \times m_2} [\Omega_{ca}^{db}] \end{bmatrix}$$
with

$$\mathcal{N}_{1D}^{n \times m}[\Omega_{ac}^{bd}] := L_2^{n \times m}[\Omega_{ac}^{bd}] \times L_2^{n \times m}[\Omega_{ac}^{bd} \times \Omega_a^b] \times L_2^{n \times m}[\Omega_{ac}^{bd} \times \Omega_a^b].$$

Then, for given parameters $G = \begin{bmatrix} B & C_1 \\ C_2 & N \end{bmatrix} \in \mathcal{N}_{0112}^{n \times m}$, where
 $C_1 := \begin{bmatrix} C_{03} \\ C_{13} \\ C_{23} \end{bmatrix} \in \mathcal{N}_{011 \leftarrow 2D}^{\tilde{n} \times m_2}$ and, $C_2 := \begin{bmatrix} C_{30} \\ C_{31} \\ C_{32} \end{bmatrix} \in \mathcal{N}_{2D \leftarrow 011}^{n \times \tilde{m}}$
we define the associated 0112-PI operator $\mathcal{P}[G] : \mathbb{Z}^m \to \mathbb{Z}^n$
as

$$\mathcal{P}[G] = \begin{bmatrix} \mathcal{P}[B] & \mathcal{P}[C_1] \\ \mathcal{P}[C_2] & \mathcal{P}[N] \end{bmatrix},$$

where for $D = \begin{bmatrix} D_0 \\ D_1 \\ D_2 \end{bmatrix} \in \mathcal{N}_{011 \leftarrow 2D}^{n \times m}$ and $E = \begin{bmatrix} E_0 \\ E_1 \\ E_2 \end{bmatrix} \in \mathcal{N}_{2D \leftarrow 011}^{n \times m}$ with $\mathbf{n}, \mathbf{m} \in \mathbb{N}^2$ we define $\mathcal{P}[E] = \begin{bmatrix} \mathbf{M}[E_0] & \mathcal{P}[E_1] & \mathcal{P}[E_2] \end{bmatrix}, \quad \mathcal{P}[D] = \begin{bmatrix} \int_{\Omega_{ac}^{bd}}[D_0] \\ \int_{\Omega_{a}^{b}}[I] \circ \mathcal{P}[D_1] \\ \int_{\Omega_{ac}^{b}}[I] \circ \mathcal{P}[D_2] \end{bmatrix},$ where for $R := \{R_0, R_1, R_2\} \in \mathcal{N}_{1D}^{n \times m}[\Omega_{ac}^{bd}]$, we define

$$(\mathcal{P}[R]\mathbf{v})(x,y) := R_0(x,y)\mathbf{v}(x,y) + \int_a R_1(x,y,\theta)\mathbf{v}(\theta,y)d\theta + \int_x^b R_2(x,y,\theta)\mathbf{v}(\theta,y)d\theta,$$

for arbitrary $\mathbf{v} \in L_2^{n, \mathcal{O}}[\Omega_{ac}^{bd}]$. We denote the set of 0112-PI operators as $\Pi_{0112}^{n \times m}$, so that $\mathcal{P} \in \Pi_{0112}^{n \times m}$ if and only if $\mathcal{P} = \mathcal{P}[G]$ for some $G \in \mathcal{N}_{0112}^{n \times m}$.

C. Properties of PI Operators

In [13], it was shown that the set of 0112-PI operators $\Pi_{0112}^{n\times m}$ forms a *-algebra, with several useful properties. We summarize a few of these properties below, referring to [13] for more details and a proof of each result.

1) The sum of 0112-PI operators is a 0112-PI operator:

Proposition 4: For any $\mathcal{Q}, \mathcal{R} \in \Pi_{0112}^{n \times m}$ with $n, m \in \mathbb{N}^3$, there exists a unique $\mathcal{P} \in \Pi_{0112}^{n \times m}$ such that $\mathcal{P} = \mathcal{Q} + \mathcal{R}$. We denote the associated parameter map as $\mathcal{L}_+ : \mathcal{N}_{0112}^{n \times m} \times \mathcal{N}_{0112}^{n \times m} \to \mathcal{N}_{0112}^{n \times m}$, so that, for any $Q, R \in \mathcal{N}_{0112}^{n \times m}$,

$$\mathcal{P}[P] = \mathcal{P}[Q] + \mathcal{P}[R], \text{ if and only if } P = \mathcal{L}_+(Q, R).$$

2) The product of 0112-PI operators is a 0112-PI operator:

Proposition 5: For any $\mathcal{Q} \in \Pi_{0112}^{n \times p}$ and $\mathcal{R} \in \Pi_{0112}^{p \times m}$ with $n, p, m \in \mathbb{N}^3$, there exists a unique $\mathcal{P} \in \Pi_{0112}^{n \times m}$ such that $\mathcal{P} = \mathcal{QR}$.

We denote the associated parameter map as $\mathcal{L}_{\times} : \mathcal{N}_{0112}^{n \times p} \times \mathcal{N}_{0112}^{p \times m} \to \mathcal{N}_{0112}^{n \times m}$, so that, for any $Q \in \mathcal{N}_{0112}^{n \times p}$ and $R \in \mathcal{N}_{0112}^{p \times m}$,

$$\mathcal{P}[P] = \mathcal{P}[Q]\mathcal{P}[R], \text{ if and only if } P = \mathcal{L}_{\times}(Q, R).$$

3) The inverse of a suitable 011-PI operator is a 011-PI operator:

Proposition 6: For any $\mathcal{R} \in \Pi^{n \times n}$ with $n := \{n_0, n_1, 0\}$, satisfying the conditions of Lemma 5 in [13], there exists a unique $\hat{\mathcal{R}} \in \Pi_{011}^{n \times n}$ such that $\hat{\mathcal{R}}\mathcal{R} = \mathcal{R}\hat{\mathcal{R}} = I$.

We denote the associated parameter map as $\mathcal{L}_{inv} : \mathcal{N}_{011}^{n \times n} \rightarrow \mathcal{N}_{011}^{n \times n}$, so that, for any $R \in \mathcal{N}_{011}^{n \times n}$ as in Lemma 5 in [13],

$$\mathcal{P}[\hat{R}]\mathcal{P}[R] = I,$$
 if and only if $\hat{R} = \mathcal{L}_{inv}(R).$

4) The composition of a differential operator with a suitable 2D-PI operator is a 2D-PI operator:

We refer to Lemmas 6 and 7 in [13] for more information.

5) The adjoint of a 2D-PI operator is a 2D-PI operator: Here we define the adjoint of a PI operator $\mathcal{P} \in \Pi_{0112}^{n \times m}$, as the unique operator $\mathcal{P}^* \in \Pi_{0112}^{m \times n}$ that satisfies

$$\langle \mathbf{v}, \mathcal{P}\mathbf{u} \rangle_{Z^n} = \langle \mathcal{P}^*\mathbf{v}, \mathbf{u} \rangle_{Z^m}$$

for any $\mathbf{u} \in Z^m$ and $\mathbf{v} \in Z^n$, where $n, m \in \mathbb{N}^3$.

6) A cone of positive semidefinite 2D-PI operators can be parameterized by positive semidefinite matrices:

Here we say that an operator $\mathcal{P} \in \Pi_{0112}^{n \times n}$ is positive semidefinite or (strictly) positive definite, denoted as $\mathcal{P} \ge 0$ and $\mathcal{P} > 0$, if for any $\mathbf{v} \in \mathbf{Z}^n$ with $\mathbf{v} \neq \mathbf{0}$ and some $\epsilon > 0$,

$$\langle \mathbf{v}, \mathcal{P} \mathbf{v} \rangle_{Z^n} \geq 0, \quad \text{or respectively}, \quad \langle \mathcal{P} \mathbf{v}, \mathbf{v} \rangle_{Z^n} \geq \epsilon \, \langle \mathbf{v}, \mathbf{v} \rangle_{Z^n} \, .$$

Using Properties II-C.1 through II-C.4, we will derive an equivalent PIE representation of linear 2D PDEs with inputs and outputs in Section IV. For this, we note that Property II-C.4 holds for PI operators mapping $Z^{\{n_0,0,n_2\}}$ as well, as shown in Appx. I-A of the extended version of this paper [14]. In Section V, we prove that Properties II-C.5 and II-C.6 also hold for PI operators on $Z^{\{n_0,0,n_2\}}$, allowing us to numerically test feasibility of the L_2 -gain LPI presented in Section III using semidefinite programming.

D. Partial Integral Equations

A Partial Integral Equation (PIE) is a linear differential equation, parameterized by PI operators, describing the evolution of a fundamental state $\mathbf{v}(t) \in L_2[\Omega_{ac}^{bd}]$. For any linear, 2nd order, autonomous, 2D PDE, there exists an equivalent PIE representation, as well as a differential operator \mathcal{D} and PI operator \mathcal{T} such that any solution $\mathbf{v}(t)$ to the PIE satisfies $\mathbf{v}(t) = \mathcal{D}\bar{\mathbf{v}}(t)$, where $\bar{\mathbf{v}}(t) = \mathcal{T}\mathbf{v}(t)$ is a solution to the PDE. *Example 7:* Consider a 2D advection PDE on $(x, y) \in [0, 1] \times [0, 1]$, with Dirichlet boundary conditions,

$$\dot{\bar{\mathbf{v}}}(t) = c \left[\partial_x \bar{\mathbf{v}}(t) + \partial_y \bar{\mathbf{v}}(t) \right], \quad 0 = \bar{\mathbf{v}}(t, 0, y) = \bar{\mathbf{v}}(t, x, 0).$$
(6)

Defining the fundamental state $\mathbf{v}(t) = \partial_x \partial_y \bar{\mathbf{v}}(t) \in L_2$, this system may be equivalently represented by the PIE

$$\int_0^x \int_0^y \mathbf{v}(t,\theta,\nu) d\nu d\theta = c \left[\int_0^y \mathbf{v}(t,x,\nu) d\nu + \int_0^x \mathbf{v}(t,\theta,y) d\theta \right],$$

where $\mathbf{v}(t)$ solves this PIE if and only if $\bar{\mathbf{v}}(t) := \int_0^x \int_0^y \mathbf{v}(t,\theta,\nu) d\nu d\theta$ solves the PDE (6). Defining $R := \begin{bmatrix} 0 & 0 & 0 \\ 0 & R_{11} & 0 \\ 0 & 0 & 0 \end{bmatrix} \in \mathcal{N}_{2D}$ and $Q := \begin{bmatrix} 0 & Q_{01} & 0 \\ Q_{10} & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} \in \mathcal{N}_{2D}$, where $R_{11}(x,y,\theta,\nu) = 1$ and $Q_{01}(x,y,\nu) = Q_{10}(x,y,\theta) = c$, we may equivalently express the PIE as

$$\mathcal{T}\dot{\mathbf{v}}(t) = \mathcal{A}\mathbf{v}(t),$$

where $\mathcal{T} := \mathcal{P}[R] \in \Pi_{2D}^{1 \times 1}$ and $\mathcal{A} := \mathcal{P}[Q] \in \Pi_{2D}^{1 \times 1}$. Consider now including a disturbance $w(t) \in \mathbb{R}$ and

Consider now including a disturbance $w(t) \in \mathbb{R}$ and regulated output $z(t) \in \mathbb{R}$ in the PDE, as

$$\dot{\mathbf{v}}(t) = c \left[\partial_x \bar{\mathbf{v}}(t) + \partial_y \bar{\mathbf{v}}(t) \right] + kw(t),$$

$$z(t) = \int_0^1 \int_0^1 \bar{\mathbf{v}}(t, x, y) dy dx.$$
(7)

Then, assuming the same boundary conditions, the system may be equivalently represented by the PIE

$$\mathcal{T}\dot{\mathbf{v}}(t) = \mathcal{A}\mathbf{v}(t) + kw(t) \qquad = \mathcal{A}\mathbf{v}(t) + \mathcal{B}w(t),$$
$$z(t) = \left(\int_{\Omega_{00}^{11}} [I] \circ \mathcal{T}\right)\mathbf{v}(t) \qquad = \mathcal{C}\mathbf{v}(t), \tag{8}$$

where $\mathcal{T}, \mathcal{A} \in \Pi_{2D}^{1 \times 1} = \Pi_{0112}^{\{0,0,1\} \times \{0,0,1\}}$ are as before, and we define $\mathcal{B} := \mathbf{M}[k] \in \Pi_{0112}^{\{0,0,1\} \times \{1,0,0\}}$ and

$$\mathcal{C} := \int_{\Omega_{00}^{11}} [(1-x)(1-y)] \qquad \in \Pi_{0112}^{\{1,0,0\} \times \{0,0,1\}}.$$

Then, for any input w, the pair (\mathbf{v}, z) is a solution to the PIE (8) if and only if $(\mathcal{T}\mathbf{v}, z)$ is a solution to the PDE (7).

III. AN LPI FOR L_2 -GAIN ANALYSIS

In this section, we present the main technical result of this paper. In particular, we provide an LPI for verifying an upper bound γ on the L_2 gain of a PIE of the form

$$\mathcal{T}\dot{\mathbf{v}}(t) = \mathcal{A}\mathbf{v}(t) + \mathcal{B}w(t), \qquad \mathbf{v}(0) = \mathbf{0},$$
$$z(t) = \mathcal{C}\mathbf{v}(t) + \mathcal{D}w(t), \qquad (9)$$

where $w(t) \in \mathbb{R}^{n_w}$, $z(t) \in \mathbb{R}^{n_z}$, and $\mathbf{v}(t) \in L_2^{n_v}[\Omega_{ac}^{bd}]$ represent respectively the value of the input, output, and (fundamental) state at any time $t \geq 0$, and where

$$\begin{aligned} \mathcal{T}, \mathcal{A} &\in \Pi_{0112}^{\{0,0,n_v\} \times \{0,0,n_v\}}, \quad \mathcal{B} \in \Pi_{0112}^{\{0,0,n_v\} \times \{n_w,0,0\}}, \\ \mathcal{C} &\in \Pi_{0112}^{\{n_z,0,0\} \times \{0,0,n_v\}}, \quad \mathcal{D} \in \Pi_{0112}^{\{n_z,0,0\} \times \{n_w,0,0\}}. \end{aligned}$$

Lemma 8: Let $\gamma > 0$, and suppose there exists a 2D-PI operator $\mathcal{P} \in \prod_{2D}^{n_v \times n_v}$ such that $\mathcal{P} = \mathcal{P}^* > 0$ and

$$\begin{bmatrix} -\gamma I & \mathcal{D} & \mathcal{C} \\ (\cdot)^* & -\gamma I & \mathcal{B}^* \mathcal{PT} \\ (\cdot)^* & (\cdot)^* & (\cdot)^* + \mathcal{T}^* \mathcal{PA} \end{bmatrix} \le 0$$
(10)

Then, for any $w \in L_2^{n_w}[0,\infty)$, if (w,z) satisfies the PIE (9), then $z \in L_2^{n_z}[0,\infty)$ and $\|z\|_{L_2} \leq \gamma \|w\|_{L_2}$.

Proof: Define a storage function $V : L_2^{n_v} \to \mathbb{R}$ as $V(\mathbf{v}) := \langle \mathcal{T}\mathbf{v}, \mathcal{P}\mathcal{T}\mathbf{v} \rangle_{L_2}$. Since $\mathcal{P} > 0$, we have $V(\mathbf{v}) > 0$ for any $\mathbf{v} \neq \mathbf{0}$. In addition, for any $w \in L_2[0,\infty)$, the derivative $\dot{V}(\mathbf{v}(t))$ for $\mathbf{v}(t)$ satisfying PIE (9) is given by

$$\begin{split} \dot{V}(\mathbf{v}(t)) &= \langle \mathcal{T}\mathbf{v}(t), \mathcal{P}\mathcal{T}\dot{\mathbf{v}}(t) \rangle_{L_{2}} + \langle \mathcal{T}\dot{\mathbf{v}}(t), \mathcal{P}\mathcal{T}\mathbf{v}(t) \rangle_{L_{2}} \\ &= \langle \mathcal{T}\mathbf{v}(t), \mathcal{P}[\mathcal{A}\mathbf{v}(t) + \mathcal{B}w(t)] \rangle_{L_{2}} \\ &+ \langle [\mathcal{A}\mathbf{v}(t) + \mathcal{B}w(t)], \mathcal{P}\mathcal{T}\mathbf{v}(t) \rangle_{L_{2}} \\ &= \left\langle \begin{bmatrix} w(t) \\ \mathbf{v}(t) \end{bmatrix}, \begin{bmatrix} 0 & \mathcal{B}^{*}\mathcal{P}\mathcal{T} \\ \mathcal{T}^{*}\mathcal{P}\mathcal{B} & \mathcal{A}^{*}\mathcal{P}\mathcal{T} + \mathcal{T}^{*}\mathcal{P}\mathcal{A} \end{bmatrix} \begin{bmatrix} w(t) \\ \mathbf{v}(t) \end{bmatrix} \right\rangle_{Z^{n_{1}}} \end{split}$$

where $\mathbf{n}_1 := \{n_w, 0, n_v\}$ so that $\mathbf{Z}^{\mathbf{n}_1} = \mathbb{R}^{n_w} \times L_2^{n_v}[\Omega_{acl}^{bd}]$. Define $\mathbf{n}_2 := \{n_z + n_w, 0, n_v\}$. Then, for any $w(t) \in \mathbb{R}^{n_w}$, and for any $\mathbf{v}(t) \in L_2^{n_v}[\Omega_{ac}^{bd}]$ and $z(t) \in \mathbb{R}^{n_z}$ satisfying the PIE (9) with input w, we have

$$\begin{split} & \left\langle \begin{bmatrix} \frac{z(t)}{\gamma} \\ w(t) \\ \mathbf{v}(t) \end{bmatrix}, \begin{bmatrix} -\gamma I & \mathcal{D} & \mathcal{C} \\ \mathcal{D}^* & -\gamma I & \mathcal{B}^* \mathcal{P} \mathcal{T} \\ \mathcal{C}^* & \mathcal{T}^* \mathcal{P} \mathcal{B} & \mathcal{A}^* \mathcal{P} \mathcal{T} + \mathcal{T}^* \mathcal{P} \mathcal{A} \end{bmatrix} \begin{bmatrix} \frac{z(t)}{\gamma} \\ w(t) \\ \mathbf{v}(t) \end{bmatrix} \right\rangle_{\mathbf{Z}^{n_2}} \\ &= \left\langle \begin{bmatrix} w(t) \\ \mathbf{v}(t) \end{bmatrix}, \begin{bmatrix} 0 & \mathcal{B}^* \mathcal{P} \mathcal{T} \\ \mathcal{T}^* \mathcal{P} \mathcal{B} & \mathcal{A}^* \mathcal{P} \mathcal{T} + \mathcal{T}^* \mathcal{P} \mathcal{A} \end{bmatrix} \begin{bmatrix} w(t) \\ \mathbf{v}(t) \end{bmatrix} \right\rangle_{\mathbf{Z}^{n_1}} \\ &- \gamma \| w(t) \|^2 + \gamma^{-1} \Big[\langle \mathbf{v}(t), \mathcal{C}^* z(t) \rangle_{L_2} + \langle w(t), \mathcal{D}^* z(t) \rangle \Big] \\ &+ \gamma^{-1} \Big[\langle z(t), \mathcal{C} \mathbf{v}(t) \rangle_{L_2} + \langle z(t), \mathcal{D} w(t) \rangle \Big] - \gamma^{-1} \| z(t) \|^2 \\ &= \dot{V} \big(\mathbf{v}(t) \big) - \gamma \| w(t) \|^2 + \gamma^{-1} \| z(t) \|^2 \end{split}$$

Invoking Eqn. (10), it follows that

$$\dot{V}(\mathbf{v}(t)) \le \gamma \|w(t)\|^2 - \gamma^{-1} \|z(t)\|^2.$$

Integrating both sides of this inequality from 0 up to ∞ , noting that $V(\mathbf{v}(0)) = V(0) = 0$, we find

$$0 \le \lim_{t \to \infty} V(\mathbf{v}(t)) \le \gamma \|w\|_{L_2}^2 - \gamma^{-1} \|z\|_{L_2}^2,$$

and therefore $||z||_{L_2} \leq \gamma ||w||_{L_2}$.

Lemma 8 proves that, if the LPI (10) is feasible for some $\gamma > 0$, then the L_2 -gain $\frac{||z||_{L_2}}{||w||_{L_2}}$ of the 2D PIE (9) is bounded by γ . In Section IV, we will show that any well-posed, linear, 2nd order 2D PDE can be equivalently represented as a PIE of the form (9) – thus allowing the L_2 -gain to be tested as an LPI. In Section V, we then show that feasibility of an LPI can be tested as an LMI, allowing the L_2 -gain of 2D PDEs to be verified using semidefinite programming – a result we show in Section VI.

IV. A PIE REPRESENTATION OF 2D PARTIAL DIFFERENTIAL INPUT-OUTPUT SYSTEMS

Having shown that the L_2 -gain of a 2D PIE can be tested by solving an LPI, we now show that equivalent PIE representations can be derived for systems belonging to a large class of 2D PDEs. In particular, in Subsection IV-A, we present a standardized format for representing linear, 2nd order, 2D PDEs with finite-dimensional input and output signals. In Subsection IV-B, we then derive a bijective map between the PDE state space $X_w \subset L_2[\Omega_{ac}^{bd}]$, constrained by boundary and continuity conditions, and the *fundamental* state space $L_2[\Omega_{ac}^{bd}]$. Finally, in Subsection IV-C, we prove that for any solution to the PDE, an equivalent solution exists to an associated PIE, presenting the PI operators $\{\mathcal{T}_0, \mathcal{T}_1, \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}\}$ defining this representation.

A. A Standardized PDE Format in 2D

We consider a coupled linear PDE of the form

$$\bar{\mathbf{v}}(t) = \mathcal{A}\bar{\mathbf{v}}(t) + \mathcal{B}w(t),
z(t) = \bar{\mathcal{C}}\bar{\mathbf{v}}(t) + \bar{\mathcal{D}}w(t),$$
(11)

where at any time $t \geq 0$, $w(t) \in \mathbb{R}^{n_w}$, $z(t) \in \mathbb{R}^{n_z}$, and $\bar{\mathbf{v}}(t) \in X_{w(t)}$, where $X_{w(t)} \subseteq L_2^{n_0+n_1+n_2}[\Omega_{ac}^{bd}]$ includes the boundary conditions and continuity constraints, defined as

$$X_w := \left\{ \bar{\mathbf{v}} = \begin{bmatrix} \bar{\mathbf{v}}_0 \\ \bar{\mathbf{v}}_1 \\ \bar{\mathbf{v}}_2 \end{bmatrix} \in \begin{bmatrix} L_2^{n_0} \\ W_1^{n_1} \\ W_2^{n_2} \end{bmatrix} \middle| \bar{\mathcal{E}}_0 \bar{\mathbf{v}} + \mathcal{E}_1 w = 0 \right\}, \quad (12)$$

and where the operators $\{\overline{A}, \overline{B}, \overline{C}, \overline{D}, \overline{\mathcal{E}}_0, \mathcal{E}_1\}$ are all linear. In particular, the PDE dynamics are defined by the operators

$$\bar{\mathcal{A}} := \sum_{i,j=0}^{2} \mathbf{M}[A_{ij}] \; \partial_x^i \partial_y^j \; \mathbf{M}[S_{i,j}], \qquad \bar{\mathcal{B}} := \mathbf{M}[B],$$
$$\bar{\mathcal{C}} := \sum_{i,j=0}^{2} \int_{\Omega_{ac}^{bd}} [C_{ij}] \; \partial_x^i \partial_y^j \; \mathbf{M}[S_{i,j}], \qquad \bar{\mathcal{D}} := \mathbf{M}[D], \quad (13)$$

parameterized by matrix-valued functions

$$\begin{bmatrix} A_{ij} & B\\ C_{ij} & D \end{bmatrix} \in \begin{bmatrix} L_2^{n_v \times m_{ij}}[\Omega_{ac}^{bd}] & L_2^{n_v \times n_w}[\Omega_{ac}^{bd}]\\ L_2^{n_z \times m_{ij}}[\Omega_{ac}^{bd}] & \mathbb{R}^{n_z \times n_w} \end{bmatrix},$$

where $n_v = n_0 + n_1 + n_2$ and $m_{ij} := \sum_{k=\max\{i,j\}}^2 n_k$, and where the matrix

$$S_{i,j} := \begin{cases} I_{n_0+n_1+n_2}, & \text{if } i = j = 0, \\ \begin{bmatrix} 0_{(n_1+n_2)\times n_0} & I_{n_1+n_2} \end{bmatrix}, & \text{if } \max\{i,j\} = 1, \\ \begin{bmatrix} 0_{n_2\times n_0} & 0_{n_2\times n_1} & I_{n_2} \end{bmatrix}, & \text{if } \max\{i,j\} = 2, \end{cases}$$

extracts all elements $\mathbf{u}(t) = S_{i,j} \bar{\mathbf{v}}(t) \in W_{\max\{i,j\}}^{m_{ij}}[\Omega_{ac}^{bd}]$ of the state $\bar{\mathbf{v}}(t)$ which are differentiable up to at least order i in x and j in y, for any $t \geq 0$. In addition, the state $\bar{\mathbf{v}}(t)$ at each time is constrained by the boundary conditions $\bar{\mathcal{E}}_0 \bar{\mathbf{v}}(t) + \mathcal{E}_1 w(t) = 0$, where

$$\bar{\mathcal{E}}_0 = \mathcal{P}[E_0] \Lambda_{\mathrm{bf}}, \quad \text{and} \quad \mathcal{E}_1 = \mathrm{M}[E_1], \quad (14)$$

for a matrix-valued function $E_1 \in \mathbb{Z}_1^{\mathbf{n}_b \times \{n_w, 0\}}[\Omega_{ac}^{bd}]$ and parameters $E_0 \in \mathcal{N}_{011}^{\mathbf{n}_b \times \mathbf{n}_{\mathrm{f}}}[\Omega_{ac}^{bd}]$, where $\mathbf{n}_b := \{n_1 + 4n_2, n_1 + 2n_2\}$ corresponds to the number of boundary conditions, and $\mathbf{n}_{\mathrm{f}} := \{4n_1 + 16n_2, 2n_1 + 4n_2\}$, and where the operator $\Lambda_{\mathrm{bf}} : L_2^{n_0} \times W_1^{n_1} \times W_2^{n_2} \to \mathbb{Z}_1^{\mathbf{n}_{\mathrm{f}}}$ extracts all the possible boundary values for the state components $\bar{\mathbf{v}}_1$ and $\bar{\mathbf{v}}_2$, as limited by differentiability. In particular,

$$\Lambda_{\rm bf} = \begin{bmatrix} \Lambda_1 \\ \Lambda_2 \\ \Lambda_3 \end{bmatrix} : L_2^{n_0} \times W_1^{n_1} \times W_2^{n_2} \to \begin{bmatrix} \mathbb{R}^{4n_1 + 16n_2} \\ L_2^{2n_1 + 4n_2} [\Omega_c^b] \\ L_2^{2n_1 + 4n_2} [\Omega_c^d] \end{bmatrix},$$
(15)

where

$$\Lambda_{1} := \begin{bmatrix} 0 & \Delta_{1} & 0 \\ 0 & 0 & \Delta_{1} \\ 0 & 0 & \Delta_{1}\partial_{x} \\ 0 & 0 & \Delta_{1}\partial_{y} \\ 0 & 0 & \Delta_{1}\partial_{xy} \end{bmatrix}, \quad \begin{bmatrix} \Lambda_{2} \\ \Lambda_{3} \end{bmatrix} := \begin{bmatrix} 0 & \Delta_{2}\partial_{x} & 0 \\ 0 & 0 & \Delta_{2}\partial_{x}^{2} \\ 0 & 0 & \Delta_{2}\partial_{x}^{2}\partial_{y} \\ 0 & \Delta_{3}\partial_{y} & 0 \\ 0 & 0 & \Delta_{3}\partial_{x}\partial_{y}^{2} \\ 0 & 0 & \Delta_{3}\partial_{x}\partial_{y}^{2} \end{bmatrix},$$

and where we use the Dirac operators Δ_k defined as

$$\Delta_1 = \begin{bmatrix} \Delta_x^a \Delta_y^c \\ \Delta_x^b \Delta_y^c \\ \Delta_x^a \Delta_y^d \\ \Delta_x^b \Delta_y^d \end{bmatrix}, \quad \Delta_2 = \begin{bmatrix} \Delta_y^c \\ \Delta_y^d \end{bmatrix}, \quad \Delta_3 = \begin{bmatrix} \Delta_x^a \\ \Delta_x^b \end{bmatrix}$$

Definition 9 (Solution to the PDE): For a given input signal w and given initial conditions $\bar{\mathbf{v}}_{\mathrm{I}} \in X_{w(0)}$, we say that $(\bar{\mathbf{v}}, z)$ is a solution to the PDE defined by $\{A_{ij}, B, C_{ij}, D, E_0, E_1\}$ if $\bar{\mathbf{v}}$ is Frechét differentiable, $\bar{\mathbf{v}}(0) = \bar{\mathbf{v}}_{\mathbf{I}}$, and for all $t \ge 0$, $\bar{\mathbf{v}}(t) \in X_{w(t)}$, and $(\bar{\mathbf{v}}(t), z(t))$ satisfies Eqn. (11) with the operators $\{\bar{\mathcal{A}}, \bar{\mathcal{B}}, \bar{\mathcal{C}}, \bar{\mathcal{D}}, \bar{\mathcal{E}}_0, \mathcal{E}_1\}$ defined as in (13) and (14).

B. A Bijection Between the Fundamental and PDE State

In the PDE (11) defined by $\{A_{ij}, B, C_{ij}, D, E_0, E_1\}$, the state $\bar{\mathbf{v}}(t) \in X_{w(t)}$ at each time $t \geq 0$ is constrained to satisfy continuity constraints and boundary conditions, defined by E_0 and E_1 . For any such $\bar{\mathbf{v}} \in X_w$, we define an associated fundamental state $\mathbf{v} \in L_2^{n_v}[\Omega_{ac}^{bd}]$, free of boundary and continuity constraints, using a differential operator \mathcal{D} :

$$\mathbf{v} := \begin{bmatrix} \mathbf{v}_0 \\ \mathbf{v}_1 \\ \mathbf{v}_2 \end{bmatrix} = \underbrace{\begin{bmatrix} I_{n_0} & \\ & \partial_x \partial_y & \\ & & \partial_x^2 \partial_y^2 \end{bmatrix}}_{\varnothing} \begin{bmatrix} \bar{\mathbf{v}}_0 \\ \bar{\mathbf{v}}_1 \\ \bar{\mathbf{v}}_2 \end{bmatrix} = \mathfrak{D}\bar{\mathbf{v}}.$$

In this subsection, we show that if the parameters E_0, E_1 define well-posed boundary conditions, then there exist associated PI operators $\mathcal{T}_0, \mathcal{T}_1$ such that

$$\bar{\mathbf{v}} = \mathcal{T}_0 \mathcal{D} \bar{\mathbf{v}} + \mathcal{T}_1 w, \quad \text{and} \quad \mathbf{v} = \mathcal{D} [\mathcal{T}_0 \mathbf{v} + \mathcal{T}_1 w],$$

for any $\bar{\mathbf{v}} \in X_w$ and $\mathbf{v} \in L_2$. To prove this result, we recall the following lemma from [13], expressing the PDE state in terms of the fundamental state and a set of boundary values.

Lemma 10: Let $\bar{\mathbf{v}} \in L_2^{n_0} \times W_1^{n_1} \times W_2^{n_2}$ and define $\Lambda_{\mathrm{bc}} : L_2^{n_0} \times W_1^{n_1} \times W_2^{n_2} \to Z_1^{\mathrm{n_b}}$ with $\mathbf{n_b} = \{n_1 + 4n_2, n_1 + 2n_2\}$ as

$$\Lambda_{\rm bc} := \begin{bmatrix} 0 & \Delta_x^a \Delta_y^c & 0 \\ 0 & 0 & \Delta_x^a \Delta_y^c \\ 0 & 0 & \Delta_x^a \Delta_y^c & \partial_x \\ 0 & 0 & \Delta_x^a \Delta_y^c & \partial_y \\ 0 & 0 & \Delta_x^a \Delta_y^c & \partial_x \partial_y \\ 0 & 0 & \Delta_y^c & \partial_x^2 \\ 0 & 0 & \Delta_y^c & \partial_x^2 \partial_y \\ 0 & 0 & \Delta_x^a & \partial_y & 0 \\ 0 & 0 & \Delta_x^a & \partial_y^2 \\ 0 & 0 & \Delta_x^a & \partial_x \partial_y^2 \end{bmatrix} .$$
(16)

Then, if parameters $K_1 \in \mathcal{N}_{2D \leftarrow 011}^{n_v \times n_b}$ and $\mathcal{K}_2 \in \mathcal{N}_{2D}^{n_v \times n_v}$ are as defined in Lemma 10 in [13], then

$$\bar{\mathbf{v}} = \mathcal{P}[K_1]\Lambda_{bc}\bar{\mathbf{v}} + \mathcal{P}[K_2]\mathbf{v}, \quad \text{where } \mathbf{v} = \mathcal{D}\bar{\mathbf{v}}.$$

Proof: A proof can be found in [13].

Proof: A proof can be found in [13].

Corollary 11: Let $\mathbf{v} \in L_2^{n_0} \times W_1^{n_1} \times W_2^{n_2}$ and let Λ_{bf} be as defined in Eqn. (15). Then, if parameters $H_1 \in \mathcal{N}_{011}^{n_f \times n_b}$ and $H_2 \in \mathcal{N}_{011 \leftarrow 2D}^{\mathbf{n}_f \times n_v}$ with $\mathbf{n}_f = \{4n_1 + 16n_2, 2n_1 + 4n_2\}$ are as defined in Corollary 11 in [13], then

$$\Lambda_{\rm bf} \bar{\mathbf{v}} = \mathcal{P}[H_1] \Lambda_{\rm bc} \bar{\mathbf{v}} + \mathcal{P}[H_2] \mathbf{v},$$

where $\mathbf{v} = \mathcal{D}\bar{\mathbf{v}}$, and where Λ_{bc} is as defined in Eqn. (16).

Using these results, we can express $\bar{\mathbf{v}} \in X_w$ directly in terms of $\mathfrak{D}\bar{\mathbf{v}} \in L_2^{n_v}$ and the input signal w, as shown in the following theorem. For a full proof of this result, we refer to Appx. II of the arXiv version of this paper [14].

Theorem 12: Let $E_0 = \begin{bmatrix} E_{00} & E_{01} & E_{02} \\ E_{10} & E_{11} & E_{12} \\ E_{20} & E_{21} & E_{22} \end{bmatrix} \in \mathcal{N}_{011}^{n_b \times n_f} \text{ and } E_1 = \begin{bmatrix} E_{1,0} \\ E_{1,1} \\ E_{1,2} \end{bmatrix} \in \mathbb{Z}_1^{n_b \times \{n_w, 0\}} \text{ with } E_{jj} := \{E_{jj}^0, E_{jj}^1, E_{jj}^1\} \in \mathcal{N}_{1D}$ for $j \in \{1,2\}$ be given, and such that the operator $\mathcal{P}[E_0]\mathcal{P}[H_1]$ is invertible, where $H_1 \in \mathcal{N}_{011}^{n_f \times n_b}$ is as in Cor. 11. Let w be a given input signal, with associated set X_w as defined in Eqns. (12) and (14). Then, there exist parameters $T_0 \in \mathcal{N}_{2D}^{n_v \times n_v}$ and $T_1 \in L_2^{n_v \times n_w}[\Omega_{ac}^{bd}]$ such that if $\mathcal{T}_0 = \mathcal{P}[T_0] \in \Pi_{2D}^{n_v \times n_v}$ and $\mathcal{T}_1 = \mathbf{M}[T_1] \in \Pi_{0112}^{\{0,0,n_v\} \times \{n_w,0,0\}}$, then for any $\bar{\mathbf{v}} \in X_w$ and $\mathbf{v} \in L_2^{n_v}$,

$$\bar{\mathbf{v}} = \mathcal{T}_0 \mathcal{D} \bar{\mathbf{v}} + \mathcal{T}_1 w$$
 and $\mathbf{v} = \mathcal{D} \Big[\mathcal{T}_0 \mathbf{v} + \mathcal{T}_1 w \Big],$

where $\mathcal{D} = \begin{bmatrix} I_{n_0} & \partial_x \partial_y \\ & \partial_x^2 \partial_y^2 \end{bmatrix}$. In particular, we may define $T_0 \in \mathcal{N}_{2D}^{n_v \times n_v}$ and $T_1 \in L_2^{n_v \times n_w}[\Omega_{ac}^{bd}]$ as in Eqn. (17) in the outline of the proof of this theorem.

Outline of proof: The result follows from application of Lemma 10 and Corollary 11. In particular, by Cor. 11, there exist parameters $H_1 \in \mathcal{N}_{0112}^{\mathbf{n}_{\mathrm{f}} \times \mathbf{n}_{\mathrm{b}}}$ and $H_2 \in \mathcal{N}_{0112}^{\mathbf{n}_{\mathrm{f}} \times \mathbf{n}_v}$ such that

$$\Lambda_{\rm bf}\bar{\mathbf{v}}=\mathcal{P}[H_1]\Lambda_{\rm bc}\bar{\mathbf{v}}+\mathcal{P}[H_2]\mathbf{v}.$$

Substituting this expression into that for the boundary conditions, $0 = \mathcal{P}[E_0]\Lambda_{bf}\bar{\mathbf{v}} + \mathcal{P}[E_1]w$, it follows that

$$0 = \mathcal{P}[E_0]\mathcal{P}[H_1]\Lambda_{\rm bc}\bar{\mathbf{v}} + \mathcal{P}[E_0]\mathcal{P}[H_2]\mathbf{v} + \mathcal{P}[E_1]w$$

= $\mathcal{P}[R_1]\Lambda_{\rm bc}\bar{\mathbf{v}} + \mathcal{P}[R_2]\mathbf{v} + \mathcal{P}[E_1]w,$

where we define $R_i = \mathcal{L}_{\times}(E_0, H_i)$ for $i \in \{1, 2\}$. Since (by assumption) $\mathcal{P}[R_1] = \mathcal{P}[E_0]\mathcal{P}[H_1]$ is invertible, there exist parameters $\hat{R}_1 = \mathcal{L}_{inv}(R_1) \in \mathcal{N}_{011}^{n_b \times n_b}$ such that $\mathcal{P}[\hat{R}_1] = \mathcal{P}[R]^{-1}$, and we can express $\Lambda_{bc} \bar{\mathbf{v}}$ in terms of \mathbf{v} and w as

$$\Lambda_{\rm bc} \bar{\mathbf{v}} = -\mathcal{P}[\hat{R}_1]\mathcal{P}[R_2]\mathbf{v} - \mathcal{P}[\hat{R}_1]\mathcal{P}[E_1]w$$
$$= \mathcal{P}[G_0]\mathbf{v} + \mathcal{P}[G_1]w,$$

where $G_0 = -\mathcal{L}_{\times}(\hat{R}_1, R_2)$ and $G_1 = -\mathcal{L}_{\times}(\hat{R}_1, E_1)$. Finally, by Lemma 10, there exist parameters $K_1 \in \mathcal{N}_{0112}^{n_v \times n_b}$ and $K_2 \in \mathcal{N}_{0112}^{n_v \times n_v}$ such that

$$\bar{\mathbf{v}} = \mathcal{P}[K_1]\Lambda_{\mathrm{bc}}\bar{\mathbf{v}} + \mathcal{P}[K_2]\mathbf{v},$$

and thus, imposing the relation $\Lambda_{bc} \bar{\mathbf{v}} = \mathcal{P}[G_0] \mathbf{v} + \mathcal{P}[G_1] w$,

$$\bar{\mathbf{v}} = \left(\mathcal{P}[K_2] + \mathcal{P}[K_1]\mathcal{P}[G_0]\right)\mathbf{v} + \mathcal{P}[K_1]\mathcal{P}[G_1]w$$
$$= \mathcal{P}[T_0]\mathbf{v} + \mathcal{P}[T_1]w = \mathcal{T}_0\mathbf{v} + \mathcal{T}_1w,$$

where

$$T_0 = \mathcal{L}_+(K_2, \mathcal{L}_\times(K_1, G_0)), \quad T_1 = \mathcal{L}_\times(K_1, G_1).$$
 (17)

C. PDE to PIE Conversion

Having constructed the PI operators $\mathcal{T}_0, \mathcal{T}_1$ mapping fundamental states $\mathbf{v} \in L_2^{n_v}[\Omega_{ac}^{bd}]$ to PDE states $\bar{\mathbf{v}} \in X_w$, we can now define an equivalent PIE representation of the standardized PDE. In particular, for given PI operators $\{\mathcal{T}_0, \mathcal{T}_1, \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}\}$, we define the associated PIE as

$$\mathcal{T}_{1}\dot{w}(t) + \mathcal{T}_{0}\dot{\mathbf{v}}(t) = \mathcal{A}\mathbf{v}(t) + \mathcal{B}w(t), \quad \mathbf{v}(t) \in L_{2}^{n_{v}},$$
$$z(t) = \mathcal{C}\mathbf{v}(t) + \mathcal{D}w(t).$$
(18)

Definition 13 (Solution to the PIE): For a given input signal w and given initial conditions $\mathbf{v}_{\mathbf{I}} \in L_2^{n_v}$, we say that (\mathbf{v}, z) is a solution to the PIE defined by $\{\mathcal{T}_0, \mathcal{T}_1, \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}\}$ if v is Frechét differentiable, $v(0) = v_I$, and for all $t \ge 0$, $(\mathbf{v}(t), z(t))$ satisfies Eqn. (18).

The following lemma shows that for any PDE of the form (11) for which $\mathcal{P}[E_0]\mathcal{P}[H_1]$ in Theorem. 12 is invertible, there exists an equivalent PIE of the form (18).

Lemma 14: Suppose $\mathcal{T}_0, \mathcal{T}_1$ are as defined in Thm. 12. Let

$$\begin{split} \mathcal{A} &:= \bar{\mathcal{A}} \circ \mathcal{T}_0 \in \Pi_{0112}^{n_v \times n_v}, \quad \mathcal{B} := \bar{\mathcal{B}} + \bar{\mathcal{A}} \circ \mathcal{T}_1 \in \Pi_{0112}^{n_v \times n_w}, \\ \mathcal{C} &:= \bar{\mathcal{C}} \circ \mathcal{T}_0 \in \Pi_{0112}^{n_z \times n_v}, \quad \mathcal{D} := \bar{\mathcal{D}} + \bar{\mathcal{C}} \circ \mathcal{T}_1 \in \Pi_{0112}^{n_z \times n_w}, \end{split}$$

where the operators $\{\bar{\mathcal{A}}, \bar{\mathcal{B}}, \bar{\mathcal{C}}, \bar{\mathcal{D}}\}\$ are parameterized by $\{A_{ij}, B, C_{ij}, D\}$, as in Eqn. (13), and where we define $n_v :=$ $\{0, 0, n_v\}, n_w := \{n_w, 0, 0\}$ and $n_z := \{n_z, 0, 0\}$. Then, for a given input w and initial values $\mathbf{v}_{\mathrm{I}} \in L_{2}^{n_{v}}$, (\mathbf{v}, z) solves the PIE (18) defined by $\{\mathcal{T}_0, \mathcal{T}_1, \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}\}$ with initial conditions $\mathbf{v}_{\mathbf{I}}$ if and only if $(\bar{\mathbf{v}}, z)$ with $\bar{\mathbf{v}}(t) = \mathcal{T}_0 \mathbf{v}(t) + \mathcal{T}_1 w(t)$ solves the PDE (11) defined by $\{A_{ij}, B, C_{ij}, D, E_0, E_1\}$ with initial conditions $\bar{\mathbf{v}}_{\mathrm{I}} := \mathcal{T}_0 \mathbf{v}_{\mathrm{I}} + \mathcal{T}_1 w(0)$.

Proof: The result follows directly by substituting the relation $\bar{\mathbf{v}} = \mathcal{T}_0 \mathbf{v} + \mathcal{T}_1 w$ into the PDE (11). A full proof is provided in the extended version of this paper [14].

V. PARAMETERIZING POSITIVE PI OPERATORS

Using the results from Sections III and IV, a bound on the L_2 -gain of a large class of 2D PDEs can be verified using the LPI (10). In this section, we show how feasibility of such LPIs can be tested using LMIs, by parameterizing a cone of positive PI operators $\mathcal{P} \in \Pi_{0112,+}^{\{n_0,0,n_2\} \times \{n_0,0,n_2\}}$ mapping $\mathbf{Z}^{\{n_0,0,n_2\}}$ by positive matrices. Since positive PI operators must be self-adjoint, we first show that the adjoint of any PI operator acting on $Z^{\{n_0,0,n_2\}}$ is also a PI operator.

Lemma 15: Let $G := \begin{bmatrix} B & C \\ D & N \end{bmatrix} \in \mathcal{N}_{0112}^{\mathbf{h}_{v} \times \mathbf{n}_{u}}$ for some $\mathbf{n}_{u} = \{m_{0}, 0, m_{2}\}$ and $\mathbf{n}_{v} = \{n_{0}, 0, n_{2}\}$, and with $N = \{n_{v}, 0, n_{v}\}$.
$$\begin{split} & \mathbf{h}_{\mathbf{u}} = \{m_{0}, 0, m_{2}\} \text{ and } \mathbf{h}_{\mathbf{v}} = \{n_{0}, 0, n_{2}\}, \text{ and } \text{ with } N = \\ & \begin{bmatrix} N_{00} & N_{01} & N_{02} \\ N_{10} & N_{11} & N_{12} \\ N_{20} & N_{21} & N_{22} \end{bmatrix} \in \mathcal{N}_{2D}^{n_{2} \times m_{2}}. \text{ Define } \hat{G} := \begin{bmatrix} B^{T} & D^{T} \\ C^{T} & \hat{N} \end{bmatrix} \in \mathcal{N}_{0112}^{\mathbf{n}_{u} \times \mathbf{n}_{v}} \\ & \text{with } \hat{N} = \begin{bmatrix} \hat{N}_{00} & \hat{N}_{01} & \hat{N}_{02} \\ \hat{N}_{10} & \hat{N}_{11} & \hat{N}_{12} \\ \hat{N}_{20} & \hat{N}_{21} & \hat{N}_{22} \end{bmatrix} \in \mathcal{N}_{2D}^{m_{2} \times n_{2}}, \text{ where } \\ & \begin{bmatrix} \hat{N}_{00}(x, y) & N_{01}(x, y, \nu) & \hat{N}_{02}(x, y, \nu) \end{bmatrix} \end{split}$$
 $\hat{N}_{10}(x,y,\theta) \quad \hat{N}_{11}(x,y,\theta,\nu) \quad \hat{N}_{12}(x,y,\theta,\nu)$ $\begin{bmatrix} \hat{N}_{20}(x,y,\theta) & \hat{N}_{21}(x,y,\theta,\nu) & \hat{N}_{22}(x,y,\theta,\nu) \end{bmatrix}$ $= \begin{bmatrix} N_{00}^{T}(x,y) & N_{02}^{T}(x,\nu,y) & N_{01}^{T}(x,\nu,y) \\ N_{20}^{T}(\theta,y,x) & N_{22}^{T}(\theta,\nu,x,y) & N_{21}^{T}(\theta,\nu,x,y) \\ N_{10}^{T}(\theta,y,x) & N_{12}^{T}(\theta,\nu,x,y) & N_{11}^{T}(\theta,\nu,x,y) \end{bmatrix}$ Then for any $\mathbf{u} \in Z^{n_u}[\Omega_{ac}^{bd}]$ and $\mathbf{v} \in Z^{n_v}[\Omega_{ac}^{bd}]$,

$$\langle \mathbf{v}, \mathcal{P}[G]\mathbf{u} \rangle_{Z^{n_v}} = \left\langle \mathcal{P}[\hat{G}]\mathbf{v}, \mathbf{u} \right\rangle_{Z^{n_u}}$$

Proof: A proof of this result can be found in Appendix I-B of the arXiv version of this paper [14].

We now propose a parameterization of a cone of positive PI operators on $Z^{\{n_0,0,n_2\}}$. A proof of this result can be found in Appx. III of the arXiv version of this paper [14].

Proposition 16: For any $Z \in L_2^{q \times n_2}[\Omega_{ac}^{bd} \times \Omega_{ac}^{bd}]$ and scalar function $g \in L_2[\Omega_{ac}^{bd}]$ satisfying $g(x, y) \ge 0$ for any $(x, y) \in \Omega_{ac}^{bd}$, let $\mathcal{L}_{\mathrm{PI}} : \mathbb{R}^{(9q+n_0) \times (9q+n_0)} \to \mathcal{N}_{0112}^{\mathbf{n}_{\mathrm{u}} \times \mathbf{n}_{\mathrm{u}}}$ be as defined in Eqn. (51) in Appx. III of [14], where $n_u := \{n_0, 0, n_2\}$. Then, for any $P \ge 0$, if $B = \mathcal{L}_{PI}(P)$, then $\mathcal{P} := \mathcal{P}[B] \in$ $\Pi_{0112}^{n_u \times n_u} \text{ satisfies } \mathcal{P}^* = \mathcal{P} \text{ and } \langle \mathbf{u}, \mathcal{P}\mathbf{u} \rangle_{Z^{n_u}} \geq 0 \text{ for any } \mathbf{u} \in Z^{n_u}.$

Parameterizing positive PI operators as in Prop. 16, we use a monomial basis Z_d of degree at most d to define \mathcal{Z} , yielding polynomial paramaters $B = \mathcal{L}_{PI}(P)$ for any (positive) matrix P. For the scalar function $g(x, y) \ge 0$, we include the candidates

 $g_0(x,y) = 1, \quad g_1(x,y) = (x-a)(b-x)(y-c)(d-y), \quad (19)$ which are both nonnegative on the domain $\Omega_{ac}^{bd} := [a, b] \times [c, d]$. We denote the resulting set of operators as Ξ_d , so that

$$\Xi_d := \left\{ \sum_{j=0} \mathcal{P}[B_j] \middle| B_j = \mathcal{L}_{\text{PI}}(P_j) \text{ for some } P_j \ge 0, \\ \text{with } Z = Z_d \text{ and } g_j(x, y) \text{ as in (19)} \right\}$$

where now $\mathcal{P} \in \Xi_d$ is an LMI constraint implying $\mathcal{P} \ge 0$.

Computational complexity: Since the number of monomials of degree at most d in 2 variables is of the order $\mathcal{O}(d^2)$, the size of the matrix $P \in \mathbb{S}^{q \times q}$ parameterizing a 2D-PI operator $\mathcal{P}[P] \in \Xi_d$ will be $q = \mathcal{O}(nd^2)$, for $\mathcal{P}[P] \in \Pi_{2D}^{n \times n}$. As such, the number of decision variables in the LMI $P \ge 0$ will scale with $q^2 = \mathcal{O}(n^2 d^4)$ – a substantial increase compared to the $\mathcal{O}(n^2d^2)$ scaling for 1D PDEs, and the $\mathcal{O}(n^2)$ scaling for ODEs. Nevertheless, accurate L_2 -gain bounds for 2D PDEs can already be verified with d = 1, as we illustrate in Section VII.

VI. AN LMI FOR L₂-GAIN ANALYSIS OF 2D PDES

Combining the results from the previous sections, we finally construct an LMI test for verifying an upper bound on the L_2 -gain of a 2D PDE.

Theorem 17: Let parameters $\{A_{ij}, B, C_{ij}, D, E_0, E_1\}$ with $E_1 = 0$ define a PDE of the form (11) as in Subsection IV-A. Let associated operators $\{\mathcal{T}_0, \mathcal{T}_1, \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}\}$ be as defined in Lemma 14 in Subsection IV-C. Finally, let $\gamma > 0$, and suppose there exists a PI operator $\mathcal{P} \in \prod_{2D}^{n_v \times n_v}$ such that $\mathcal{P} - \epsilon I \in \Xi_{d_1}$ and $-\mathcal{Q} \in \Xi_{d_2}$ for some $d_1, d_2 \in \mathbb{N}$ and $\epsilon > 0$, where

$$Q := \begin{bmatrix} -\gamma I & \mathcal{D} & \mathcal{C} \\ (\cdot)^* & -\gamma I & \mathcal{B}^* \mathcal{P} \mathcal{T}_0 \\ (\cdot)^* & (\cdot)^* & (\cdot)^* + \mathcal{T}_0^* \mathcal{P} \mathcal{A} \end{bmatrix}.$$
 (20)

Then, for any $w \in L_2^{n_w}[0,\infty)$, if (w(t), z(t)) satisfies the PDE (11) for all $t \ge 0$, then $z \in L_2^{n_z}[0,\infty)$ and $\frac{\|z\|_{L_2}}{\|w\|_{L_2}} \le \gamma$.

Proof: Let the parameters $\{A_{ij}, B, C_{ij}, D, E_0, E_1\}$ and operators $\{\mathcal{T}_0, \mathcal{T}_1, \mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}\}$ be as proposed. Let $w \in$ $L_2^{n_w}[0,\infty)$ be arbitrary, and let $(\bar{\mathbf{v}},z)$ be a solution to the PDE (11) with input w. Then, by Lem. 14, letting $\mathbf{v} = \mathcal{D}\bar{\mathbf{v}}$, (\mathbf{v}, z) is a solution to the PIE (18) with input w. Since $E_1 = 0$, it follows by Thm. 12 that $\mathcal{T}_1 = 0$, and therefore (\mathbf{v}, z) is a solution to the PIE (9) with $\mathcal{T} = \mathcal{T}_0$. Finally, by Prop. 16, if $\mathcal{P} - \epsilon I \in \Xi_{d_1}$ and $-\mathcal{Q} \in \Xi_{d_2}$, we have $\mathcal{P} > 0$ and $Q \leq 0$. Then, all conditions of Lem. 8 are satisfied, and we find that $z \in L_2^{n_z}[0,\infty)$ and $\frac{\|z\|_{L_2}}{\|w\|_{L_2}} \leq \gamma$.

VII. NUMERICAL EXAMPLES

In this section, results of several numerical tests are presented, computing an upper bound on the L_2 -gain of 2D PDEs using the LPI methodology proposed in the previous sections, incorporated into the MATLAB toolbox PIETOOLS [15]. Results are shown using monomials of degree at most d = 1 to parameterize the positive operator $\mathcal{P} \in \Xi_d$ in Theorem 17. Estimates of the L_2 -gain computed using discretization are also shown, using a finite difference scheme on $N \times N$ uniformly distributed grid points.

For each of the proposed PDEs, a regulated output $z(t) = \int_{\Omega_a^b} \int_{\Omega_c^d} \bar{\mathbf{v}}(t, x, y) dy dx$ is considered, corresponding to $C_{00} = I$ and $C_{ij} = 0$ for all other $i, j \in \{0, 1, 2\}$ in Eqns. (13) defining the parameters for the PDE (11).

A. KISS Model

Consider first a particular instance of the KISS model as presented in [1], with uniformly distributed disturbances on $[0,1] \times [0,1]$, and Dirichlet boundary conditions,

$$\dot{\mathbf{v}}(t) = \left[\partial_x^2 \bar{\mathbf{v}}(t) + \partial_y^2 \bar{\mathbf{v}}(t)\right] + \lambda \bar{\mathbf{v}}(t) + w(t)$$

 $0 = \bar{\mathbf{v}}(t, 0, y) = \bar{\mathbf{v}}(t, 1, y) = \bar{\mathbf{v}}(t, x, 0) = \bar{\mathbf{v}}(t, x, 1).$ (21) Figure 1 presents bounds on the L_2 -gain of this system for $\lambda \in [9, 19]$, computed using the LPI approach. Gains estimated using discretization with N = 12 grid points are also displayed. The results show that the LPI method is able to achieve (provably valid) bounds on the L_2 -gain that are lower than the values estimated through discretization.



Fig. 1. Bounds on the L_2 -gain of System (21) computed using the LPI methodology, parameterizing $\mathcal{P} \in \Xi_d$ in Thm. 17 using monomials of degree at most d = 1. Estimates of the gain computed through discretization are also shown, using a grid of 12×12 uniformly distributed points.

B. Other Parabolic Systems

Consider now a bound on the L_2 -gain computed using the LPI approach, and an estimated gain computed using discretization, for each of the following variations on System (21), where $g(x, y) := 1 - 2(x - 0.5)^2 + 2(y - 0.5)^2$:

- 1) Using an inhomogeneously distributed reaction term: $\dot{\mathbf{v}}(t) = [\bar{\mathbf{v}}_{xx}(t) + \bar{\mathbf{v}}_{yy}(t)] + g(x, y)\bar{\mathbf{v}}(t) + w(t).$
- 2) Using an inhomogeneously distributed disturbance: $\dot{\mathbf{v}}(t) = [\mathbf{\bar{v}}_{xx}(t) + \mathbf{\bar{v}}_{yy}(t)] + \mathbf{\bar{v}}(t) + g(x, y)w(t).$
- 3) Using Neumann boundary conditions:
- $0 = \bar{\mathbf{v}}(t,0,y) = \partial_x \bar{\mathbf{v}}(t,1,y) = \bar{\mathbf{v}}(t,x,0) = \partial_y \bar{\mathbf{v}}(t,x,1).$

The results of each test are provided in Table II, along with the required CPU times. The results once more show that the LPI method is able to produce bounds on the L_2 -gain which are smaller than the estimates obtained through discretization, in relatively short time.

		Discretization			LPI	
		N = 6	N = 9	N = 12	d = 1	
1)	L_2 -Gain	0.0404	0.0384	0.0376	0.0367	
	CPU Time (s)	5.56	$6.58\cdot 10^2$	$3.75\cdot 10^4$	$1.73 \cdot 10^{4}$	
$2) \begin{bmatrix} L \\ C \end{bmatrix}$	L_2 -Gain	0.0315	0.0302	0.0298	0.0293	
	CPU Time (s)	3.91	$6.59\cdot 10^2$	$3.76\cdot 10^4$	$2.64\cdot 10^5$	
3)	L_2 -Gain	0.1793	0.1767	0.1758	0.1747	
	CPU Time (s)	3.77	$6.59\cdot 10^2$	$4.09\cdot 10^4$	$1.32 \cdot 10^{4}$	
TABLE II						

Bounds on the L_2 -gain for variations 1 through 3 on System (21) computed using the LPI approach, along with the CPU time required for each test. Estimates computed using discretization are also provided, using $N \times N$ uniformly distributed grid points.

VIII. CONCLUSION

In this paper, a new method for estimating the L_2 -gain of linear, 2nd order, 2D PDEs, using semidefinite programming was presented. To this end, it was proved that any such PDE can be equivalently represented by a PIE, and the necessary formulae to convert between the representations was derived. It was further proved that the problem of verifying an upper bound on the L_2 -gain of a PIE can be posed as an LPI, and a method for parameterizing such LPIs as LMIs was presented. Implementing this approach in the MATLAB toolbox PIETOOLS, relatively accurate bounds on the L_2 -gain of several PDEs could be numerically computed.

REFERENCES

- E. E. Holmes, M. Lewis, J. Banks, and R. R. Veit, "Partial differential equations in ecology: Spatial interactions and population dynamics," *Ecology*, vol. 75, pp. 17–29, 1994.
- [2] S. Boyd, L. El Ghaoui, E. Feron, and V. Balakrishnan, *Linear matrix inequalities in system and control theory*. SIAM, 1994.
- [3] N. H. El-Farra, A. Armaou, and P. D. Christofides, "Analysis and control of parabolic PDE systems with input constraints," *Automatica*, vol. 39, no. 4, pp. 715–725, 2003.
- [4] B. K. Lieu, M. R. Jovanović, and S. Kumar, "Worst-case amplification of disturbances in inertialess Couette flow of viscoelastic fluids," *Journal of Fluid Mechanics*, vol. 723, pp. 232–263, 2013.
- [5] M. R. Jovanović, "From bypass transition to flow control and datadriven turbulence modeling: an input–output viewpoint," *Annual Review of Fluid Mechanics*, vol. 53, pp. 311–345, 2021.
- [6] A. Selivanov and E. Fridman, "Sampled-data H_{∞} filtering of a 2D heat equation under pointlike measurements," in 2018 IEEE conference on decision and control (CDC). IEEE, 2018, pp. 539–544.
- [7] —, "Delayed H_{∞} control of 2D diffusion systems under delayed pointlike measurements," *Automatica*, vol. 109, p. 108541, 2019.
- [8] M. Ahmadi, G. Valmorbida, D. Gayme, and A. Papachristodoulou, "A framework for input-output analysis of wall-bounded shear flows," *arXiv preprint arXiv:1802.04974*, 2018.
- [9] S. Shivakumar and M. M. Peet, "Computing input-ouput properties of coupled linear PDE systems," in 2019 American Control Conference (ACC). IEEE, 2019, pp. 606–613.
- [10] S. Shivakumar, A. Das, S. Weiland, and M. M. Peet, "Duality and H_{∞} -optimal control of coupled ODE-PDE systems," in 2020 59th IEEE Conference on Decision and Control (CDC). IEEE, 2020, pp. 5689–5696.
- [11] A. Das, S. Shivakumar, M. M. Peet, and S. Weiland, "Robust analysis of uncertain ODE-PDE systems using PI multipliers, PIEs and LPIs," in 2020 59th IEEE Conference on Decision and Control (CDC), 2020, pp. 634–639.
- [12] A. Das, S. Shivakumar, S. Weiland, and M. M. Peet, "H_∞ optimal estimation for linear coupled PDE systems," in 2019 IEEE 58th Conference on Decision and Control (CDC). IEEE, 2019, pp. 262– 267.
- [13] D. S. Jagt and M. M. Peet, "A PIE representation of coupled 2D PDEs and stability analysis using LPIs," arXiv eprint:2109.06423, 2021.
- [14] ——, "L₂-gain analysis of coupled linear 2D PDEs using linear PI inequalities," arXiv eprint:2203.15257, 2022.
- [15] S. Shivakumar, A. Das, and M. Peet, "PIETOOLS 2020a: User manual," arXiv preprint arXiv:2101.02050, 2021.